

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21620	client same server same (adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:57
L2	1699	client near request same server same (adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:57
L3	754	client adj request same server same (adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:58
L4	0	client adj request same server same select\$3 near(adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:59
L5	4	client adj request same server same select\$3 near(adaptor adapter conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:59
L6	2	client adj request same server same select\$3 near(adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:01
L7	3	client adj request same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:01
L8	68	client same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:02

L9	7	client near request same server same select\$3 near2 (adapter converter translator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:02
L10	61	8 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:07
L11	60	adapter same (client near (program application)) same design\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:54
L12	3	adapter same xml same rmi same html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:55
L13	25	client adj adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:55
L14	31	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:55
L15	9	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:55
L16	13	configur\$ near application with client near server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:56
L17	100	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:56

L18	31	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:56
L19	9	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:56
L21	10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L22	6232	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L23	2	L22 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L24	25	(select\$3 determin\$5 configur\$5) with communication near (method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L25	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L26	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:57
L27	68	(select\$3 determin\$5 configur\$5) near (method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:58
L29	5495	(709/203).ccls.	USPAT	OR	ON	2009/03/08 21:58

L30	5	L29 and (client adj server) same adaptor	USPAT	OR	ON	2009/03/08 21:58
L31	18	L27 and (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:58
L32	9	select\$4 near client near (adaptor adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:58
L33	32	select\$4 near plurality near (adaptor adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:58
L34	31	L33 not L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:58
L35	10	(select\$5 choos\$5 determin\$5) near client near (adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:59
L36	13	L29 and (client adj server) near communication near (adaptor connect\$4 bond coupling fastener junction adaptor device link)	USPAT	OR	ON	2009/03/08 21:59
L38	7	09/929477	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:59
L40	557	(715/744).ccls.	USPAT	OR	ON	2009/03/08 21:59
L41	62	L40 and (client adj request)	USPAT	OR	ON	2009/03/08 21:59
L42	41	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:00
L43	17	L29 and (client adj server) with adaptor	USPAT	OR	ON	2009/03/08 22:00

L44	8888	(709/203,206,230,322).cls.	USPAT	OR	ON	2009/03/08 22:00
L45	293	L44 and adapter and (client near server) with communication	USPAT	OR	ON	2009/03/08 22:00
L46	5	L29 and (client adj server) same communication near (adapter)	USPAT	OR	ON	2009/03/08 22:00
L47	10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:01
L48	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:01
L50	1	L44 and (client adj request) near (adapter)	USPAT	OR	ON	2009/03/08 22:01
L51	13	(common adj gateway adj interface) with (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:01
L54	100	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:02
L55	1	L44 and(client adj request) near adapter	USPAT	OR	ON	2009/03/08 22:02
L56	53	L29 and (client adj server) same adapter	USPAT	OR	ON	2009/03/08 22:02
L57	25	(select\$3 determin\$5 configur\$5) with communication near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:02
L58	4607	adapter near type	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:02
L59	7664	client near type	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:02
L60	85	L58 and L59	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:02
L61	79	L60 and select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:02

L62	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:02
L63	68	(select\$3 determin\$5 configur\$5) near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L64	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L65	6	L64 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L66	5	(common adj gateway adj interface) with (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L67	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L68	10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:03
L72	6232	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:04
L74	41	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:04

L75	10	(select\$5 choos\$5 determin\$5) near client near (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:04
L76	259	client adj (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L77	8	L72 and L76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L80	5	client adj adapter with select\$4 with (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L81	21	adapter near client near server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L82	243	client adj (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L83	163	L82 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L84	75	L83 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05
L85	168	L82 not L84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:05

L86	75	L83 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:06
L87	557	(715/744).ocls.	USPAT	OR	ON	2009/03/08 22:06
L88	111	L87 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:06
L89	5	adapter near select\$4 near (method apparatus system) same (client server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:06
L90	59	adapter near select\$4 near (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:06
L91	54	L90 not L89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:06
L92	9	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:07
L93	32	select\$4 near plurality near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:07
L94	31	L93 not L92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:07
L95	9	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:07

L98	2	(client adj request) with (browser near version)	US-PGPUB; USPAT; DERWENT	OR	ON	2009/03/08 22:07
L99	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:07
L100	40	web near client with adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08
L101	17	client near adapter with select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:08
L102	156	(719/311).ccis.	USPAT	OR	ON	2009/03/08 22:08
L103	39	L102 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08
L104	39	L102 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08
L105	117	L102 not L104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08
L106	2	L98 and (javascript html rmi xml)	US-PGPUB; USPAT; DERWENT	OR	ON	2009/03/08 22:08
L107	7	L38 and (html rmi xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08
L108	446	L87 not L88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:08

L109	117	L102 not L104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:09
L110	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 22:09
L112	9	client near type same adapter same (select\$3 determin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:09
L113	21	client near request same ((select \$3 determin\$3) near adapter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:10
L114	30	client same ((select\$3 determin \$3) near adapter) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:10
L115	9	L114 not L113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:10
L116	81	((select\$3 determin\$3) near adapter) same client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:10
L117	51	L116 not (L114 L113)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 22:10
L118	234	(719/311).ocls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:21
L119	78	118 not 102	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/08 22:22

L121	86	client near request same server same select\$3 near2 (adapter converter translator gateway interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 00:25
L122	32	client near request same server same select\$3 near (adapter converter translator gateway interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 00:25
L123	26	122 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 00:26
L125	60	121 not 123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 00:26

3/ 9/ 2009 12:40:25 AM

C:\Documents and Settings\kverdi\My Documents\EAST\Workspaces\10658683.wsp